

**OVE Austrian Electrotechnical Association**  
Eschenbachgasse 9, 1010 Wien, Austria  
ZVR: 327279890 | DVR: 1055887 | www.ove.at

**OVE Testing & Certification**  
Kahlenberger Str. 2A, 1190 Wien, Austria  
T +43 1 370 58 06 | F +43 1 370 58 06-199



ENEC Certification Body registered under ID # 11.

Validity of ENEC Licences can be checked at [www.enec.com](http://www.enec.com)

# LICENCE

to use the European Mark



Licence No. **7590-224**

Date of issue: Wien, 2017 11 22

OVE the Austrian Electrotechnical Association as signatory to the **"Agreement on the use of a commonly agreed Mark of Conformity for certain electrical equipment complying with European Standards"** hereby grants the right to label the products mentioned hereunder and listed in the Annex with the Mark(s) shown above to the following company

Licenceholder: **Tridonic GmbH & Co KG**  
Färbergasse 15  
6851 Dornbirn  
Austria

Product: **Lighting control system**

Trade Mark: **TRIDONIC**

Series/Type: **Dali Touchpanel Basic ..**

Basis for this given right is the conformity of the products with the requirements of the relevant Standard(s) as listed in the Annex and the fulfilment of articles 8 and 9 of the ENEC-Agreement by the manufacturer. This licence refers to the tested specimen and to all products manufactured strictly identical to the submitted one.

This licence has been issued under the presumption and conditional on the fact that the licensee holds all necessary legal rights with regard to the product presented for testing and certification.

**Österreichischer Verband für Elektrotechnik**  
Head of Testing & Certification

Digitally signed by W. Martin  
Email=w.martin@ove.at  
Dipl.-Ing. W. Martin



## **OVE Testing & Certification**

Accredited by the Federal Ministry of Science, Research and Economy as Certification Body for products within the scope as given in the official decree and published under [www.en.bmwf.gv.at/accreditation](http://www.en.bmwf.gv.at/accreditation)



|  |   |
|--|---|
| <p><i>Hersteller</i><br/><i>Manufacturer</i></p>                       | <p><b>Tridonic GmbH &amp; Co KG</b><br/><b>Färbergasse 15</b><br/><b>6851 Dornbirn</b><br/><b>Austria</b></p>   |
| <p><i>Fertigungsstätte(n)</i><br/><i>Factory location(s)</i></p>       | <p><b>Shenzhen Sunricher Technology Co.,Ltd</b><br/><b>3rd Floor, B2 building, Jia An Industry park,</b><br/><b>Bao An No.72 District</b><br/><b>518101 Shenzhen, Guangdong Province</b><br/><b>China</b></p> |
| <p><i>Typenbezeichnung</i><br/><i>Type reference</i></p>               | <p><b>Dali Touchpanel Basic C,</b><br/><b>Dali Touchpanel Basic G,</b><br/><b>Dali Touchpanel Basic S,</b><br/><b>Dali Touchpanel Basic TW</b></p>  |
| <p><i>Prüfbericht</i><br/><i>Test Report</i></p>                       | <p><b>TGM-VA EE 37114 ECS</b></p>   |
| <p><i>Nationale Bestimmung(en)</i><br/><i>National Standard(s)</i></p> | <p><b>OVE EN 61347-1:2016-06-01</b><br/><b>ÖVE/ÖNORM EN 61347-2-11:2002-06-01</b></p>   |
| <p><i>Europannorm(en)</i><br/><i>European Standard(s)</i></p>          | <p><b>EN 61347-1:2015</b><br/><b>EN 61347-2-11:2001</b></p>   |
| <p><i>Ersatz für Zertifikat</i><br/><i>Superseded licence</i></p>      | <p>--</p>   |
| <p><i>Anmerkung(en)</i><br/><i>Remark(s)</i></p>                       | <p><b>WMT-procedure.</b></p>  |

|   |   |
|---|---|
| <i>Nennspannung</i><br><i>Rated voltage</i>                                     | <b>DC 9,5 - 22,5 V (DALI)</b>   |
| <i>Nennstrom</i><br><i>Rated current</i>  | <b>10 mA (DALI)</b>   |
| <i>Max. Betriebstemperatur tc</i><br><i>Rated max. operating temperature tc</i> | <b>60°C</b>   |
| <i>Umgebungstemperatur ta</i><br><i>Rated ambient temperature ta</i>            | <b>0°C to +50°C</b>   |
| <i>Anschlußart</i><br><i>Method of connection</i>                               | <b>Screw terminals</b>  |
| <i>Beschreibung des Aufbaus</i><br><i>Description of construction</i>           | <b>Capacitive Touchpanel for controlling multiple luminaire Groups and calling up preset lighting Scenes.</b> |
| <i>Zusatzinformation</i><br><i>Additional information</i>                       | <b>--</b>   |